



Millberry Stranded Stripped Copper Wire Scrap 99.99% Pure

Our Product Introduction


Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: IOS
- Model Number: 0.1nm-900nm
- Minimum Order Quantity: 1kg
- Price: contact us
- Delivery Time: 5day
- Payment Terms: L/C, T/T , Western Union,D/P
- Supply Ability: 90000ton



Product Specification

- AWG: 18
- Application: Indoor
- Color: Red
- Stranding: 7x26
- Temperature Rating: 90°C
- Voltage Rating: 600V
- Wire Type: Solid
- Color: Red Yellow
- Highlight: **Millberry stripped copper wire,
Stranded stripped copper wire,
Stranded millberry copper**



More Images



Product Description

Copper Wire Scrap 99.9% / Millberry Copper Scrap

Copper Scraps

1. Grade: 99.9%

2. Specification: Copper: 99, 9% Carbon: 0.03% Coblet: <0,001 Iron: 0,005% Phosphorus: <0,01% Sulphur: <0,01% Zinc: 0,003%

Detail description:

1 Copper Wire No.

1 Copper Wire grade 1: including No nudity , No coating, No alloy of pure Copper Wire, the surface without oxidation, do not contain the hair silk, Copper Wire diameter not less than 1.6 mm. Level

2: including clean, no luster, no coating, wuxi, no alloy of pure copper wire and copper cable, do not contain the wool yarn and burnt fragile copper wire. BarleyBerry

No. 2 Copper Wire No. 2 Copper Wire without alloy of Copper scrap line, contain sundries, Copper content is 96% (minimum content 94%). Shall not contain too much lead is changed and tin mineralization of copper wire, welding wire, brass and bronze line, excessive oil, iron and steel scrap and nonmetallic, crisp burnt line, do edge sex copper wire and excessive fine silk. Need appropriate means to remove grime. Birch

Key attributes

Industry-specific attributes

Application	Overhead
Conductor Material	Copper
Conductor Type	Solid
Insulation Material	Rubber

Other attributes

Place of Origin	Austria
Brand Name	cooper wire
Model Number	cooper wire
Type	insulated
Rated voltage	120
Product name	Copper Core PVC Insulation Wire
Conductor	Copper Core
Color	Black
Insulation	PVC Insulation Cable
Material	Standard Copper

Standard	IEC 60227
Rated Voltage	300V

Packaging and delivery

Packaging Details	As buyers requirements
Port	worldwide
Package Type:	As buyers requirements

attribute-list

Supply Ability	500 Metric Ton/Metric Tons per Week
----------------	-------------------------------------



Wuxi Jinnuo copper Co.,Ltd



+86-17763564398



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China